

Ø40-Ø50-Ø60



Pag 390

Ø80-Ø100



Pag 392

Ø80-Ø100-Ø120



Pag 394

Ø110



Pag 396

Ø123




Pag 398

Ø123



Pag 400

Ø50-Ø65-Ø75-Ø100  
Ø125-Ø150-Ø180



Pag 402

Ø75-Ø100




Pag 406

Ø123



Pag 408

## 901-909 Basic



### Accessori / Accessories / Zubehör




**Gomma anti-scivolo**  
**Anti-slip pad / Gummiplatte**

Part	Article-Nr.	For base
996	996 01	Ø40
996	996 02	Ø50
996	996 03	Ø60



**Dadi acciaio inox**  
**Stainless steel nuts / Mutter Edelstahl**


Part	Article-Nr.	Spindle
998	998 01	M10
998	998 02	M12
998	998 04	M16
998	998 05	M20



Piede diam. 40 mm

Leveller diam. 40 mm / Gelenkfuss Diam. 40 mm


Part	SS	FeZn	Sp	TH	L	Ball			N
901	901 01	901 01 Z	M10	50	35	A	7	-	10.000
901	901 02	901 02 Z		100	85	A	7	-	
901	901 03	901 03 Z		150	135	A	7	-	
902	902 01	902 01 Z	M12	75	60	B	9	-	12.000
902	902 02	902 02 Z		100	85	B	9	-	
902	902 03	902 03 Z		150	135	B	9	-	
903	903 01	903 01 Z	M16	75	60	B	13	-	15.000
903	903 02	903 02 Z		100	85	B	13	-	
903	903 03	903 03 Z		150	135	B	13	-	
903	903 01 H	903 01 ZH		75	60	B	-	16	
903	903 02 H	903 02 ZH		100	85	B	-	16	
903	903 03 H	903 03 ZH		150	135	B	-	16	



Piede diam. 50 mm

Leveller diam. 50 mm / Gelenkfuss Diam. 50 mm

Part	SS	FeZn	Sp	TH	L	Ball			N
904	904 01	904 01 Z	M10	50	35	A	7	-	10.000
904	904 02	904 02 Z		100	85	A	7	-	
904	904 03	904 03 Z		150	135	A	7	-	
905	905 01	905 01 Z	M12	75	60	B	9	-	12.000
905	905 02	905 02 Z		100	85	B	9	-	
905	905 03	905 03 Z		150	135	B	9	-	
906	906 01	906 01 Z	M16	75	60	B	13	-	15.000
906	906 02	906 02 Z		100	85	B	13	-	
906	906 03	906 03 Z		150	135	B	13	-	
906	906 01 H	906 01 ZH		75	60	B	-	16	
906	906 02 H	906 02 ZH		100	85	B	-	16	
906	906 03 H	906 03 ZH		150	135	B	-	16	




Piede diam. 60 mm

Leveller diam. 60 mm / Gelenkfuss Diam. 60 mm

Part	SS	FeZn	Sp	TH	L	Ball			N
907	907 01	907 01 Z	M12	80	60	B	9	-	12.000
907	907 02	907 02 Z		105	85	B	9	-	
907	907 03	907 03 Z		155	135	B	9	-	
908	908 01	908 01 Z	M16	105	85	B	13	-	15.000
908	908 02	908 02 Z		155	135	B	13	-	
908	908 03	908 03 Z		205	185	B	13	-	
908	908 01 H	908 01 ZH		105	85	B	-	16	
908	908 02 H	908 02 ZH		155	135	B	-	16	
908	908 03 H	908 03 ZH		205	185	B	-	16	
909	909 01	909 01 Z	M20	105	85	C	16	-	16.000
909	909 02	909 02 Z		155	135	C	16	-	
909	909 03	909 03 Z		205	185	C	16	-	
909	909 01 H	909 01 ZH		105	85	C	-	20	
909	909 02 H	909 02 ZH		155	135	C	-	20	
909	909 03 H	909 03 ZH		205	185	C	-	20	

## 953-957 Basic



### Accessori / Accessories / Zubehör




**Gomma anti-scivolo**  
**Anti-slip pad / Gummiplatte**

Part	Article-Nr.	For base
996	996 04	Ø80
996	996 05	Ø100



**Dadi acciaio inox**  
**Stainless steel nuts / Mutter Edelstahl**



Part	Article-Nr.	Spindle
998	998 02	M12
998	998 04	M16
998	998 05	M20



Piede diam. 80 mm

Leveller diam. 80 mm / Gelenkfuss Diam. 80 mm


Part	SS	FeZn	Sp	TH	L	Ball		N
953	953 01	953 01 Z	M12	80	60	B	9	-
953	953 02	953 02 Z		105	85	B	9	-
953	953 03	953 03 Z		155	135	B	9	-
954	954 01	954 01 Z	M16	105	85	B	13	-
954	954 02	954 02 Z		155	135	B	13	-
954	954 03	954 03 Z		205	185	B	13	-
954	954 01 H	954 01 ZH		105	85	B	-	16
954	954 02 H	954 02 ZH		155	135	B	-	16
954	954 03 H	954 03 ZH		205	185	B	-	16
955	955 01	955 01 Z	M20	105	85	C	16	-
955	955 02	955 02 Z		155	135	C	16	-
955	955 03	955 03 Z		205	185	C	16	-
955	955 01 H	955 01 ZH		105	85	C	-	20
955	955 02 H	955 02 ZH		155	135	C	-	20
955	955 03 H	955 03 ZH		205	185	C	-	20



Piede diam. 100 mm

Leveller diam. 100 mm / Gelenkfuss Diam. 100 mm

Part	SS	FeZn	Sp	TH	L	Ball		N
956	956 01	956 01 Z	M16	108	85	B	13	-
956	956 02	956 02 Z		158	135	B	13	-
956	956 03	956 03 Z		208	185	B	13	-
956	956 01 H	956 01 ZH	M16	108	85	B	-	16
956	956 02 H	956 02 ZH		158	135	B	-	16
956	956 03 H	956 03 ZH		208	185	B	-	16
957	957 01	957 01 Z	M20	108	85	C	16	-
957	957 02	957 02 Z		158	135	C	16	-
957	957 03	957 03 Z		208	185	C	16	-
957	957 01 H	957 01 ZH		108	85	C	-	20
957	957 02 H	957 02 ZH		158	135	C	-	20
957	957 03 H	957 03 ZH		208	185	C	-	20





Piede diam. 60-80-100 mm

Leveller diam. 60-80-100 mm

Gelenkfuss Diam. 60-80-100 mm


Part	Article-Nr.	Sp	D	Ball		N
908	908 10 PH	M16	60	C	24	12.000
954	954 10 PH		80	C	24	
957	957 10 PH		100	C	24	

Base and spindle: Poliammide / Polyamide / Polyamid



Steel Insert

## 910-918 Standard



### Accessori / Accessories / Zubehör




#### Gomma anti-scivolo Anti-slip pad / Gummiplatte

Part	Article-Nr.	For base
996	996 04	Ø80
996	996 05	Ø100
996	996 06	Ø120



#### Dadi acciaio inox Stainless steel nuts / Mutter Edelstahl



Part	Article-Nr.	Spindle
998	998 02	M12
998	998 04	M16
998	998 05	M20
998	998 06	M24



Piede diam. 80 mm

Leveller diam. 80 mm / Gelenkfuss Diam. 80 mm



Part	SS	FeZn	Sp	TH	L	A	C		N
910	910 01	910 01 Z	M12	100	72	54	9	9	-
910	910 02	910 02 Z		150	122	54	9	9	-
910	910 03	910 03 Z		200	172	54	9	9	-
911	911 01	911 01 Z	M16	95	67	54	9	13	-
911	911 02	911 02 Z		145	117	54	9	13	-
911	911 03	911 03 Z		195	167	54	9	13	-
911	911 01 H	911 01 ZH		95	67	54	9	-	16
911	911 02 H	911 02 ZH		145	117	54	9	-	16
911	911 03 H	911 03 ZH		195	167	54	9	-	16
912	912 01	912 01 Z	M20	120	92	54	9	16	-
912	912 02	912 02 Z		170	142	54	9	16	-
912	912 03	912 03 Z		220	192	54	9	16	-
912	912 01 H	912 01 ZH		120	92	54	9	-	20
912	912 02 H	912 02 ZH		170	142	54	9	-	20
912	912 03 H	912 03 ZH		220	192	54	9	-	20



Piede diam. 100 mm

Leveller diam. 100 mm / Gelenkfuss Diam. 100 mm


Part	SS	FeZn	Sp	TH	L	A	C		N
913	913 01	913 01 Z	M16	100	67	74	13	13	-
913	913 02	913 02 Z		150	117	74	13	13	-
913	913 03	913 03 Z		200	167	74	13	13	-
913	913 01 H	913 01 ZH		100	67	74	13	-	16
913	913 02 H	913 02 ZH		150	117	74	13	-	16
913	913 03 H	913 03 ZH		200	167	74	13	-	16
914	914 01	914 01 Z	M20	125	92	74	13	16	-
914	914 02	914 02 Z		175	142	74	13	16	-
914	914 03	914 03 Z		225	192	74	13	16	-
914	914 01 H	914 01 ZH		125	92	74	13	-	20
914	914 02 H	914 02 ZH		175	142	74	13	-	20
914	914 03 H	914 03 ZH		225	192	74	13	-	20
915	915 01	915 01 Z	M24	125	92	74	13	19	-
915	915 02	915 02 Z		175	142	74	13	19	-
915	915 03	915 03 Z		225	192	74	13	19	-



Piede diam. 120 mm

Leveller diam. 120 mm / Gelenkfuss Diam. 120 mm

Part	SS	FeZn	Sp	TH	L	A	C		N
916	916 01	916 01 Z	M16	100	67	90	13	13	-
916	916 02	916 02 Z		150	117	90	13	13	-
916	916 03	916 03 Z		200	167	90	13	13	-
916	916 01 H	916 01 ZH		100	67	90	13	-	16
916	916 02 H	916 02 ZH		150	117	90	13	-	16
916	916 03 H	916 03 ZH		200	167	90	13	-	16
917	917 01	917 01 Z	M20	125	92	90	13	16	-
917	917 02	917 02 Z		175	142	90	13	16	-
917	917 03	917 03 Z		225	192	90	13	16	-
917	917 01 H	917 01 ZH		125	92	90	13	-	20
917	917 02 H	917 02 ZH		175	142	90	13	-	20
917	917 03 H	917 03 ZH		225	192	90	13	-	20
918	918 01	918 01 Z	M24	125	92	90	13	19	-
918	918 02	918 02 Z		175	142	90	13	19	-
918	918 03	918 03 Z		225	192	90	13	19	-






# 943-947 Ø110

Piedi / Leveling pads / Gelenkfüsse

## Materiale / Material / Materialien:

Basi: Poliammide Base / Plate: Polyamide / Fussplatte: Polyamid  
Stelo: Acciaio inox o Ferro zincato / Spindle: Stainless steel or Zinc plated steel / Spindel: Edelstahl oder Stahl Verzinkt

# 943-947 Ø110



## Accessori / Accessories / Zubehör



Gomma anti-scivolo  
Anti-slip pad / Gummiplatte


Part	Article-Nr.	For base
996	996 07	Ø110



Dadi acciaio inox  
Stainless steel nuts / Mutter Edelstahl

Part	Article-Nr.	Spindle
998	998 04	M16
998	998 05	M20
998	998 06	M24





Piede diam. 110 mm


Leveller diam. 110 mm / Gelenkfuss Diam. 110 mm

### Without antislip rubber

Part	SS	FeZn	Sp	TH	L		N
943	943 01 H	943 01 ZH	M16	155	115	20	15.000
943	943 02 H	943 02 ZH		185	145	20	
943	943 03 H	943 03 ZH		235	195	20	
944	944 01 H	944 01 ZH	M20	155	115	20	15.000
944	944 02 H	944 02 ZH		185	145	20	
944	944 03 H	944 03 ZH		235	195	20	
945	945 01 H	945 01 ZH	M24	155	115	24	18.000
945	945 02 H	945 02 ZH		185	145	24	
945	945 03 H	945 03 ZH		235	195	24	

### With antislip rubber

Part	SS	FeZn	Sp	TH	L		N
943	943 51 H	943 51 ZH	M16	155	115	20	15.000
943	943 52 H	943 52 ZH		185	145	20	
943	943 53 H	943 53 ZH		235	195	20	
944	944 51 H	944 51 ZH	M20	155	115	20	15.000
944	944 52 H	944 52 ZH		185	145	20	
944	944 53 H	944 53 ZH		235	195	20	
945	945 51 H	945 51 ZH	M24	155	115	24	18.000
945	945 52 H	945 52 ZH		185	145	24	
945	945 53 H	945 53 ZH		235	195	24	



Piede diam. 110 mm

Leveller diam. 110 mm / Gelenkfuss Diam. 110 mm

### Without antislip rubber

Part	SS	FeZn	Sp	TH	L		N
946	946 01 H	946 01 ZH	M16	155	115	20	12.000
946	946 02 H	946 02 ZH		185	145	20	
946	946 03 H	946 03 ZH		235	195	20	
947	947 01 H	947 01 ZH	M20	155	115	20	12.000
947	947 02 H	947 02 ZH		185	145	20	
947	947 03 H	947 03 ZH		235	195	20	

### With antislip rubber

Part	SS	FeZn	Sp	TH	L		N
946	946 51 H	946 51 ZH	M16	155	115	20	12.000
946	946 52 H	946 52 ZH		185	145	20	
946	946 53 H	946 53 ZH		235	195	20	
947	947 51 H	947 51 ZH	M20	155	115	20	12.000
947	947 52 H	947 52 ZH		185	145	20	
947	947 53 H	947 53 ZH		235	195	20	


# 948-952 Ø123

Piedi / Leveling pads / Gelenkfüsse

## Materiale / Material / Materialien:

Basi: Poliammide Base / Plate: Polyamide / Fussplatte: Polyamid  
Stelo: Acciaio inox o Ferro zincato / Spindle: Stainless steel or Zinc plated steel / Spindel: Edelstahl oder Stahl Verzinkt

# 948-947 Ø123



## Accessori / Accessories / Zubehör




Gomma anti-scivolo  
Anti-slip pad / Gummiplatte

Part	Article-Nr.	For base
996	996 08	Ø123



Dadi acciaio inox  
Stainless steel nuts / Mutter Edelstahl

Part	Article-Nr.	Spindle
998	998 04	M16
998	998 05	M20
998	998 06	M24



Piede diam. 123 mm


Leveller diam. 123 mm / Gelenkfuss Diam. 123 mm

### Without antislip rubber

Part	SS	FeZn	Sp	TH	L		N
948	948 01 H	948 01 ZH	M16	175	115	20	25.000
948	948 02 H	948 02 ZH		205	145	20	
948	948 03 H	948 03 ZH		255	195	20	
949	949 01 H	949 01 ZH	M20	175	115	20	25.000
949	949 02 H	949 02 ZH		205	145	20	
949	949 03 H	949 03 ZH		255	195	20	
950	950 01 H	950 01 ZH	M24	175	115	24	25.000
950	950 02 H	950 02 ZH		205	145	24	
950	950 03 H	950 03 ZH		255	195	24	

### With antislip rubber

Part	SS	FeZn	Sp	TH	L		N
948	948 51 H	948 51 ZH	M16	175	115	20	25.000
948	948 52 H	948 52 ZH		205	145	20	
948	948 53 H	948 53 ZH		255	195	20	
949	949 51 H	949 51 ZH	M20	175	115	20	25.000
949	949 52 H	949 52 ZH		205	145	20	
949	949 53 H	949 53 ZH		255	195	20	
950	950 51 H	950 51 ZH	M24	175	115	24	25.000
950	950 52 H	950 52 ZH		205	145	24	
950	950 53 H	950 53 ZH		255	195	24	



Piede diam. 123 mm

Leveller diam. 123 mm / Gelenkfuss Diam. 123 mm


### Without antislip rubber

Part	SS	FeZn	Sp	TH	L		N
951	951 01 H	951 01 ZH	M16	175	115	20	20.000
951	951 02 H	951 02 ZH		205	145	20	
951	951 03 H	951 03 ZH		255	195	20	
952	952 01 H	952 01 ZH	M20	175	115	20	20.000
952	952 02 H	952 02 ZH		205	145	20	
952	952 03 H	952 03 ZH		255	195	20	

### With antislip rubber

Part	SS	FeZn	Sp	TH	L		N
951	951 51 H	951 51 ZH	M16	175	115	20	20.000
951	951 52 H	951 52 ZH		205	145	20	
951	951 53 H	951 53 ZH		255	195	20	
952	952 51 H	952 51 ZH	M20	175	115	20	20.000
952	952 52 H	952 52 ZH		205	145	20	
952	952 53 H	952 53 ZH		255	195	20	

## 958-959/931-932/981-983 Ø123



### Accessori / Accessories / Zubehör



**Gomma anti-scivolo**  
**Anti-slip pad / Gummiplatte**

Part	Article-Nr.	For base
996	996 08	Ø123



**Dadi acciaio inox**  
**Stainless steel nuts / Mutter Edelstahl**

Part	Article-Nr.	Spindle
998	998 04	M16
998	998 05	M20
998	998 06	M24


## Piede diam. 123 mm / Leveller diam. 123 mm / Gelenkfuss Diam. 123 mm

### Without antislip rubber

Part	SS	FeZn	Sp	TH	L		N
958	958 01 H	958 01 ZH	M20	150	98	20	30.000
958	958 02 H	958 02 ZH		200	148	20	
958	958 03 H	958 03 ZH		250	198	20	
959	959 01 H	959 01 ZH	M24	150	98	24	
959	959 02 H	959 02 ZH		200	148	24	
959	959 03 H	959 03 ZH		250	198	24	

### With antislip rubber

Part	SS	FeZn	Sp	TH	L		N
958	958 51 H	958 51 ZH	M20	150	98	20	30.000
958	958 52 H	958 52 ZH		200	148	20	
958	958 53 H	958 53 ZH		250	198	20	
959	959 51 H	959 51 ZH	M24	150	98	24	
959	959 52 H	959 52 ZH		200	148	24	
959	959 53 H	959 53 ZH		250	198	24	




## Piede diam. 123 mm / Leveller diam. 123 mm / Gelenkfuss Diam. 123 mm

### Without antislip rubber

Part	SS	FeZn	Sp	TH	L		N
931	931 02	931 02 Z	M20	200	148	16	30.000
931	931 03	931 03 Z		250	198	16	
932	932 02	932 02 Z	M24	200	148	19	
932	932 03	932 03 Z		250	198	19	
933	933 02	933 02 Z	M30	200	148	24	
933	933 03	933 03 Z		250	198	24	

### With antislip rubber

Part	SS	FeZn	Sp	TH	L		N
931	931 52	931 52 Z	M20	200	148	16	30.000
931	931 53	931 53 Z		250	198	16	
932	932 52	932 52 Z	M24	200	148	19	
932	932 53	932 53 Z		250	198	19	
933	933 52	933 52 Z	M30	200	148	24	
933	933 53	933 53 Z		250	198	24	




## Piede diam. 123 mm / Leveller diam. 123 mm / Gelenkfuss Diam. 123 mm

### Without antislip rubber


Part	SS	FeZn	Sp	TH	L		N
981	981 02 H	981 02 ZH	M20	200	148	24	30.000
981	981 03 H	981 03 ZH		250	198	24	
982	982 02 H	982 02 ZH	M24	200	148	24	
982	982 03 H	982 03 ZH		250	198	24	
983	983 02 H	983 02 ZH	M30	200	148	32	
983	983 03 H	983 03 ZH		250	198	32	

### With antislip rubber

Part	SS	FeZn	Sp	TH	L		N
931	931 52 H	931 52 ZH	M20	200	148	24	30.000
931	931 53 H	931 53 ZH		250	198	24	
932	932 52 H	932 52 ZH	M24	200	148	24	
932	932 53 H	932 53 ZH		250	198	24	
933	933 52 H	933 52 ZH	M30	200	148	32	
933	933 53 H	933 53 ZH		250	198	32	



## 919-980 *Easy clean*



### Accessori / Accessories / Zubehör



Dadi acciaio inox


Stainless steel nuts / Mutter Edelstahl

Part	Article-Nr.	Spindle
998	998 02	M12
998	998 04	M16
998	998 05	M20
998	998 06	M24
998	998 07	M30

**Materiale / Material / Materialien:**  
 Basi, stelo e rondella: Acciaio inox  
 Base plate, spindle and washer: Stainless steel  
 Fussplatte, Spindel und Scheibe: Edelstahl

# Easy clean 919-980


Piedi / Leveling pads / Gelenkfüsse



**Piede diam. 50 mm**  
**Leveller diam. 50 mm / Gelenkfuss Diam. 50 mm**




Part	Article-Nr.	Sp	TH	L		N
919	919 01	M12	75	50	9	3.000
919	919 02		100	75	9	
919	919 03		150	125	9	
920	920 01	M16	90	65	13	
920	920 02		140	115	13	
920	920 03		190	165	13	
921	921 01	M20	90	65	16	
921	921 02		115	90	16	
921	921 03		165	140	16	



**Piede diam. 65 mm**  
**Leveller diam. 65 mm / Gelenkfuss Diam. 65 mm**



Part	Article-Nr.	Sp	TH	L		N
972	972 01	M12	75	50	9	5.000
972	972 02		100	75	9	
972	972 03		150	125	9	
973	973 01	M16	90	65	13	
973	973 02		140	115	13	
973	973 03		190	165	13	
974	974 01	M20	90	65	16	
974	974 02		115	90	16	
974	974 03		165	140	16	



**Piede diam. 75 mm**  
**Leveller diam. 75 mm / Gelenkfuss Diam. 75 mm**



Part	Article-Nr.	Sp	TH	L		N
922	922 01	M12	80	50	9	8.000
922	922 02		105	75	9	
922	922 03		155	125	9	
923	923 01	M16	95	65	13	
923	923 02		145	115	13	
923	923 03		195	165	13	
924	924 01	M20	95	65	16	
924	924 02		120	90	16	
924	924 03		170	140	16	



# 919-980 *Easy clean*


Piedi / Leveling pads / Gelenkfüsse

• Materiale / Material / Materialien:

Basi, stelo e rondella: Acciaio inox

Base plate, spindle and washer: Stainless steel

Fussplatte, Spindel und Scheibe: Edelstahl




Piede diam. 100 mm

Leveller diam. 100 mm / Gelenkfuss Diam. 100 mm



Part	Article-Nr.	Sp	TH	L		N
925	925 01	M16	100	65	13	20.000
925	925 02		150	115	13	
925	925 03		200	165	13	
926	926 01	M20	125	90	16	
926	926 02		175	140	16	
926	926 03		225	190	16	
927	927 01	M24	125	90	16	
927	927 02		175	140	16	
927	927 03		225	190	16	




Piede diam. 125 mm

Leveller diam. 125 mm / Gelenkfuss Diam. 125 mm



Part	Article-Nr.	Sp	TH	L		N
928	928 01	M20	130	90	16	30.000
928	928 02		180	140	16	
928	928 03		230	190	16	
929	929 01	M24	130	90	19	
929	929 02		180	140	19	
929	929 03		230	190	19	
930	930 01	M30	155	115	24	
930	930 02		205	165	24	
930	930 03		255	215	24	



Piede diam. 150 mm

Leveller diam. 150 mm / Gelenkfuss Diam. 150 mm




Part	Article-Nr.	Sp	TH	L		N
975	975 01	M20	125	90	16	35.000
975	975 02		175	140	16	
975	975 03		225	190	16	
976	976 01	M24	175	140	19	
976	976 02		225	190	19	
976	976 03		285	250	19	
977	977 02	M30	175	140	24	
977	977 03		225	190	24	
977	977 04		285	250	24	

**Materiale / Material / Materialien:**  
 Basi, stelo e rondella: Acciaio inox  
 Base plate, spindle and washer: Stainless steel  
 Fussplatte, Spindel und Scheibe: Edelstahl


# Easy clean 919-980

Piedi / Leveling pads / Gelenkfüsse




Piede diam. 180 mm  
 Leveller diam. 180 mm / Gelenkfuss Diam. 180 mm



Part	Article-Nr.	Sp	TH	L		N
978	978 01	M20	125	90	16	38.000
978	978 02		175	140	16	
978	978 03		225	190	16	
979	979 02	M24	125	90	19	
979	979 03		175	140	19	
979	979 04		225	190	19	
980	980 03	M30	225	190	24	
980	980 04		285	250	24	
980	980 05		335	300	24	


## 934-939 *Easy clean*



**Materiale / Material / Materialien:**  
 Basi, stelo e rondella: Acciaio inox  
 Base plate, spindle and washer: Stainless steel  
 Fussplatte, Spindel und Scheibe: Edelstahl

# Easy clean 934-939


Piedi / Leveling pads / Gelenkfüsse



**Piede diam. 75 mm con fori fissaggio**  
**Leveller diam. 75 mm with fixing holes**  
**Stellfuss diam. 75 mm mit Befestigungsbohrung**



Part	Article-Nr.	Sp	E	TH	L		N
934	934 01	M12	52,5	80	50	9	8.000
934	934 02		52,5	105	75	9	
934	934 03		52,5	155	125	9	
935	935 01	M16	52,5	95	65	13	
935	935 02		52,5	145	115	13	
935	935 03		52,5	195	165	13	
936	936 01	M20	52,5	95	65	16	
936	936 02		52,5	120	90	16	
936	936 03		52,5	170	140	16	



**Piede diam. 100 mm con fori fissaggio**  
**Leveller diam. 100 mm with fixing holes**  
**Stellfuss diam. 100 mm mit Befestigungsbohrung**



Part	Article-Nr.	Sp	E	TH	L		N
937	937 01	M16	65	100	65	13	20.000
937	937 02		65	150	115	13	
937	937 03		65	200	165	13	
938	938 01	M20	65	125	90	16	
938	938 02		65	175	140	16	
938	938 03		65	225	190	16	
939	939 01	M24	65	125	90	19	
939	939 02		65	175	140	19	
939	939 03		65	225	190	19	


## Accessori / Accessories / Zubehör



**Dadi acciaio inox**  
**Stainless steel nuts / Mutter Edelstahl**

Part	Article-Nr.	Spindle
998	998 02	M12
998	998 04	M16
998	998 05	M20
998	998 06	M24
998	998 07	M30

## 960-971




### Accessori / Accessories / Zubehör



Dadi acciaio inox

Stainless steel nuts / Mutter Edelstahl

Part	Article-Nr.	Spindle
998	998 04	M16
998	998 05	M20
998	998 06	M24
998	998 07	M30




Piede diam. 123 mm con 4 fori 90°

Leveller diam. 123 mm with 4 holes 90°

Stellfuss diam. 123 mm mit 4 Befestigungsbohrung 90°

Part	SS	FeZn	Sp	TH	L		N
960	960 01 H	960 01 ZH	M16	155	115	20	10.000
960	960 02 H	960 02 ZH		175	135	20	
961	961 01 H	961 01 ZH	M20	155	115	24	
961	961 02 H	961 02 ZH		175	135	24	
962	962 01 H	962 01 ZH	M24	170	125	24	
962	962 02 H	962 02 ZH		230	185	24	
963	963 01 H	963 01 ZH	M30	170	125	30	
963	963 02 H	963 02 ZH		230	185	30	




Piede diam. 123 mm con 2 fori 180°

Leveller diam. 123 mm with 2 holes 180°

Stellfuss diam. 123 mm mit 2 Befestigungsbohrung 180°

Part	SS	FeZn	Sp	TH	L		N
964	964 01 H	964 01 ZH	M16	155	115	20	10.000
964	964 02 H	964 02 ZH		175	135	20	
965	965 01 H	965 01 ZH	M20	155	115	24	
965	965 02 H	965 02 ZH		175	135	24	
966	966 01 H	966 01 ZH	M24	170	125	24	
966	966 02 H	966 02 ZH		230	185	24	
967	967 01 H	967 01 ZH	M30	170	125	32	
967	967 02 H	967 02 ZH		230	185	32	



Piede diam. 123 mm senza fori

Leveller diam. 123 mm without holes

Stellfuss diam. 123 mm ohne Befestigungsbohrung

Part	SS	FeZn	Sp	TH	L		N
968	968 01 H	968 01 ZH	M16	155	115	20	10.000
968	968 02 H	968 02 ZH		175	135	20	
969	969 01 H	969 01 ZH	M20	155	115	24	
969	969 02 H	969 02 ZH		175	135	24	
970	970 01 H	970 01 ZH	M24	170	125	24	
970	970 02 H	970 02 ZH		230	185	24	
971	971 01 H	971 01 ZH	M30	170	125	30	
971	971 02 H	971 02 ZH		230	185	30	





